

Caravaggio

## Caravaggio

















100% DESIGN AND PRODUCTION PROCESS OF ITALIAN



### REGULAR PATTERN 120x260 cm - 47"x102"






The production process does not guarantee continuit y in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

 Sizes
 Thickness
 Surface Finish
 Number of Faces

 120x260 cm - 47\*x102\*

 ∑ 9 mm
 POLISHED
 8 Faces

### **COLOR RANGE & CODES**



		PCS / BOX	M²/PCS	KG / PCS	BOX / BOX PALLET	M <sup>2</sup> / BOX PALLET	KG / BOX PALLET	
SIZES	THICKNESS	SURFACES						
120x260 cm	trum THIONESS	POLISHED	1 PCS	M <sup>2</sup> 3.12	KG. 69	33 PCS	M <sup>2</sup> 102.96	KG. 2277
47"x102"				SQ. FT. 33	LBS. 152		SQ. FT. 1108	LBS. 5020


- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs .

# Caravaggio Brown





#### REGULAR PATTERN 120x260 cm - 47"x102"



The production process does not guarantee continuit y in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Sizes	Thickness	Surface Finish	Number Faces	
120-260 400 425-1025	× 0	DOLLEHED	0.5044	

### **COLOR RANGE & CODES**



		PCS / BOX	M²/PCS	KG / PCS	BOX / BOX PALLET	M²/ BOX PALLET	KG / BOX PALLET	
SIZES	THICKNESS	SURFACES						
120x260 cm 47*x102*	trees THEORNESS	POLISHED	1 PCS	M <sup>2</sup> 3.12	KG. 69	33 PCS	M <sup>2</sup> 102.96	KG. 2277
				SQ. FT. 33	LBS. 152		SQ. FT. 1108	LBS. 5020

<sup>-</sup> The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

100% DESIGN AND PRODUCTION PROCESS OF ITALIAN

**₽** 

<sup>-</sup> Inside the pallet foam is placed between the slabs .